

# UBE2T Rabbit pAb

货号: **AYP16581**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:200 - 1:2000
理论分子量	22kDa
实测分子量	23kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse heart,Mouse thymus,Rat spleen,Rat heart
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-197 of human UBE2T (NP_054895.1).
序列	MQRASRLKRELHMLATEPPPGITCWQDKDQMDLRAQILGGANTPYEKGVFKLEVIIPERYPFEPQPQIRFLTPIYHPNIDSAG RICLDVCLKLPPKGAWRPSLNIATVLTISIQLLMSEPNPDDPLMADISSEFKYNKPAFLKNARQWTEKHARQKQKADDEEMLD NLPEAGDSRVHNSTQKRKASQLVGIKFFHPDV

## 靶点信息

研究背景	The protein encoded by this gene catalyzes the covalent attachment of ubiquitin to protein substrates. D effects in this gene have been associated with Fanconi anemia of complementation group T. Two transcript variants encoding different isoforms have been found for this gene.
基因ID	29089

基因名	UBE2T
Swiss	Q9NPD8
别名	UBE2T;FANCT;HSPC150;PIG50

## 产品验证



Western blot analysis of UBE2T expressed in Mouse heart,Rat spleen,Mouse thymus using UBE2T Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120 S.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)