

# WWP2 Rabbit pAb

货号: **AYP16597**

## 产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	35kDa/51kDa/86kDa/98kDa
实测分子量	115-120kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HL-60,Rat pancreas
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-270 of human WWP2 (NP_001257383.1).
序列	MASASSRAGVALPFEKSQLTLKVVSAKPKVHNRQPRINSYVEVAVDGLPSEKKTGKRIGSSELLWNEIIILNVTAQSHLD LKVWSCHTLRNELLGTASVNLNSVLKNNGGKMEMNQLTLNLQTENKGSVSVGGELTIFLDGPTVDLGNVPNGSALTDGS QLPSRDSSGTAVAPENRHQPPSTNCFGGRSRTHRHSGASARTTPATGEQSPGARSRHRQPVKNSGHSGLANGTVNDEP TTATDPEEPSVVGVTSPPAAPLSVTPNPNTT

## 靶点信息

研究背景	This gene encodes a member of the Nedd4 family of E3 ligases, which play an important role in protein ubiquitination. The encoded protein contains four WW domains and may play a role in multiple processes including chondrogenesis and the regulation of oncogenic signaling pathways via interactions with Smad proteins and the tumor suppressor PTEN. Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene, and a pseudogene of this gene is located on the long arm of chromosome 10.
------	---

基因ID	11060
基因名	WWP2
Swiss	O00308
别名	WWP2;AIP2;WWp2-like

## 产品验证



Western blot analysis of WWP2 expressed in HL-60, Rat pancreas using WWP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)