

# INTS10 Rabbit pAb

货号: **AYP16658**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	82kDa
实测分子量	70-75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,HL-60,HepG2,THP-1,Mouse kidney,Rat testis
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 451-710 of human INTS 10 (NP_060612.2).
序列	FLTDMIIYQGQYKKAIASLHHLAALQGSISQPQITGQGTLHQRALIQLATCHFALGEYRMTCEKVL DLMCYMVLPIQDGGK SQEEPSKVKPKFRKGS DLKLLPCTSKAIMPYCLHMLACFKLRAFTDNRDDMALGHVIVLLQQEWPARGENFLKAVNKICQ QGNFYENFFNYVTNIDMLEEFAYLRTQEGGKIHLELLPNQGMLIKHHTVTRGITKGVKEDFRLAMERQVSRGLENLMVVL HRFCINEKILLLQTLT

## 靶点信息

研究背景	INTS10 is a subunit of the Integrator complex, which associates with the C-terminal domain of RNA polymerase II large subunit (POLR2A; MIM 180660) and mediates 3-prime end processing of small nuclear RNAs U1 (RNU1; MIM 180680) and U2 (RNU2; MIM 180690) (Baillat et al., 2005 [PubMed 16239144]).[supplied by OMIM, Mar 2008]
------	--

基因ID	55174
基因名	INTS10
Swiss	Q9NVR2
别名	INTS10;C8orf35;INT10

## 产品验证



Western blot analysis of INTS10 expressed in Mouse kidney,Rat testis,A-549 using INTS10 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)