

# NAPG Rabbit pAb

货号: **AYP16731**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	25kDa/34kDa
实测分子量	36kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,SW480,HepG2,HeLa,U-251MG,Mouse brain,Mouse spleen,Mouse lung,Rat brain
细胞定位	Membrane,Peripheral membrane protein
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-312 of human NAPG ( NP_003817.1).
序列	MAAQKINEGLEHLAKAEKYLKTGFLKWKPDYDSAASEYGKAAVAFKNAKQFEQAKDAACLREAVAHENNRALFHAAKAYE QAGMMLKEMQKLP EAVQLIEKASMMYLENGTPDTAAMALERAGKLIENVDP EKAVQLYQQTANVFENEERLRQAVELLGK ASRLLVRGRRFDEAALS IQKEKNYKEIENYPTCYKKTIAQVLVHLHRNDYVAAERCVRESYSIPGFNGSEDCAALEQLLEGY DQQDQDQVSDVCNSPLFKYMDNDYAKLGLSLVPPGGGKIKKSPATPQAKPDGVTATAADEEEDYSGGLC

## 靶点信息

研究背景	This gene encodes soluble NSF attachment protein gamma. The soluble NSF attachment proteins (SNAPs) enable N-ethyl-maleimide-sensitive fusion protein (NSF) to bind to target membranes. NSF and SNAPs appear to be general components of the intracellular membrane fusion apparatus, and their action at specific sites of fusion must be controlled by SNAP receptors particular to the membranes being fused. The product of this gene mediates platelet exocytosis and controls the membrane fusion events of this process.
------	--

基因ID	8774
基因名	NAPG
Swiss	Q99747
别名	NAPG;GAMMASNAP

## 产品验证



Western blot analysis of NAPG expressed in Mouse brain,Rat brain,MCF7 using NAPG Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)