— ABLYBIO, Help Your Research

CIAPIN1 Rabbit pAb

货号: AYP16778

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC IP
推荐浓度	**WB:** 1:500 - 1:2000 **IF/ICC:** 1:50 - 1:200 **IP:** 1:50 - 1:100
理论分子量	11kDa/32kDa/33kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SKOV3,293T,HepG2,HeLa,MCF-7,Mouse testis
细胞定位	Cytoplasm,Mitochondrion,Mitochondrion intermembrane space,Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-312 of human CIAPIN1 (NP_064709.2).

靶点信息

研究背景	CIAPIN1 is a cytokine-induced inhibitor of apoptosis with no relation to apoptosis regulatory molecules of the BCL2 (MIM 151430) or CASP (see MIM 147678) families. Expression of CIAPIN1 is dependent on growth factor stimulation (Shibayama et al., 2004 [PubMed 14970183]).[supplied by OMIM, Mar 2008]
基因ID	57019
基因名	CIAPIN1
Swiss	Q6FI81 (https://www.uniprot.org/uniprotkb/Q6FI81/entry)
别名	CIAPIN1,Anamorsin,DRE2,PRO0915,CIAPIN1 Rabbit pAb,Cytokine-induced apoptosis inhibitor 1,Fe-S cluster assembly protein DRE2 homolog

产品验证



Western blot analysis of CIAPIN1 expressed in Mouse testis,SKOV3,293T using CIAPIN1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (https://www.ablybio.cn//www.ablybio.cn)