

MYLIP Rabbit pAb

货号: **AYP16833**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:1000
理论分子量	14kDa/49kDa
实测分子量	50KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse spleen
细胞定位	Cell membrane,Cytoplasm,Peripheral membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 266-445 of human MYLIP (NP_037394.2).
序列	RAITETHAFYRCDTVTSVAVMMQYSRDLKGHSLASLFLNENINLGKKYVFDIKRTSKEVYDHARRALYNAGVVDLVSRRNQSPSHSPLKSSSESSMNCSSCEGLSCQQTRVLQEKLRLKEAMLCMVCCEEEINSTFCPCGHTVCCESCAAQLQSCPVCRSRVEHVQHVVYLPHTSLLNLTVI

靶点信息

研究背景	The ERM protein family members ezrin, radixin, and moesin are cytoskeletal effector proteins linking actin to membrane-bound proteins at the cell surface. Myosin regulatory light chain interacting protein (MYLIP) is a novel ERM-like protein that interacts with myosin regulatory light chain and inhibits neurite outgrowth.
基因ID	29116

基因名	MYLIP
Swiss	Q8WY64
别名	MYLIP;IDOL;MIR

产品验证



Western blot analysis of MYLIP expressed in Jurkat, Mouse spleen using MYLIP Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn