

TRIM69 Rabbit pAb

货号: **AYP16882**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	32kDa/34kDa/39kDa/57kDa
实测分子量	60KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Mouse kidney
细胞定位	Cytoplasm,Nucleus,Nucleus speckle
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-341 of human TRIM69 (NP_542783.2).
序列	MEEELAIQQGQLETTLKEQLQTLRNMQKEAIAAHKENKHLHQHVSMFLKLHQFLHSKEKDILTELREEGKALNEEMELNLS QLQEQLLAKDMLVSIQAKTEQQNSFDLKDITLLHSLEQGMKVLATRELISRKLNLGQYKGPQYQYMWVREMQDTLCPGL SPLTLDPKTAHPNLVLSKTSVWHGDIKKIMPDDPERFDSSVAVLGSRGFTSGKWYWEVEVAKKTKWTVGVVRESIIRK GSCPLTPEQGFWLLRLRNQTDLKALDLPFSLSLTLNNDKVGIYLDYEGGQLSFYNAKTMTHIYTFSTFMKLYPYFCPL NDGGGENKEPLHILHPQ

靶点信息

研究背景	This gene encodes a member of the RING-B-box-coiled-coil (RBCC) family and encodes a protein with an N-terminal RING finger motif, a PRY domain and a C-terminal SPRY domain. The mouse ortholog of this gene is specifically expressed in germ cells at the round spermatid stages during spermatogenesis and, when overexpressed, induces apoptosis. Alternatively spliced transcript variants encoding distinct isoforms have been described.
基因ID	140691
基因名	TRIM69
Swiss	Q86WT6
别名	TRIM69;HSD-34;HSD34;RNF36;Trif

产品验证



Western blot analysis of TRIM69 expressed in Mouse testis, Mouse kidney using TRIM69 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn