

AATF Rabbit pAb

货号: **AYP16886**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:1000 - 1:5000
理论分子量	63kDa
实测分子量	80-90KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	RAW264.7, NIH/3T3, Neuro-2a
细胞定位	Nucleus, nucleolus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 7-100 of human AATF (NP_036270.1).
序列	LALQLEQLLNPRPSEADPEADPEEATAARVIDRFDEGEDGEGDFLVGSIKRLASASLLDTRKRYCGKTTSRKAWNEDHW EQTLPGSSDDEEISD

靶点信息

研究背景	The protein encoded by this gene was identified on the basis of its interaction with MAP3K12/DLK, a protein kinase known to be involved in the induction of cell apoptosis. This gene product contains a leucine zipper, which is a characteristic motif of transcription factors, and was shown to exhibit strong transactivation activity when fused to Gal4 DNA binding domain. Overexpression of this gene interfered with MAP3K12 induced apoptosis.
基因ID	26574

基因名	AATF
Swiss	Q9NY61
别名	AATF;BFR2;CHE-1;CHE1;DED

产品验证



Western blot analysis of AATF expressed in RAW264.7,NIH/3T3,Neuro-2a using AATF Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn