

GRIP1 Rabbit pAb

货号: **AYP16935**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	116kDa/120kDa/122kDa
实测分子量	131kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Cell junction,Cytoplasmic vesicle,Endoplasmic reticulum,postsynaptic cell membrane,synapse
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 700-950 of human GRIP 1 (NP_001171545.1).
序列	KKQTDAQSASSPKKFPISSHLSLDLGDVEEDSSPAQKPGKLSMDMPSTVPSVDSAVDSWDGSAIDTSYGTQGTSTFQASGY NFNTYDWRSPKQRGSLSPVTKPRSQTYPDVGLSYEDWDRSTASGFAGAADSAAETEQEENFWSQALEDLETGCGQSGILR ELEATIMSGSTMSLNHEAPTPRSQLGRQASFQERSSSRPHYSQTTRSNTLPSDVGRKSVTLRKMKEIKEIMSPTPVELHK VTLYKDSDMEDFG

靶点信息

研究背景	This gene encodes a member of the glutamate receptor interacting protein family. The encoded scaffold protein binds to and mediates the trafficking and membrane organization of a number of transmembrane proteins. Alternatively spliced transcript variants encoding different isoforms have been described.
基因ID	23426

基因名	GRIP1
Swiss	Q9Y3R0
别名	GRIP1;GRIP

产品验证



Western blot analysis of GRIP1 expressed in 293T using GRIP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn