

# THRA Rabbit pAb

货号: **AYP16992**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IHC:</b> 1:50 - 1:200
理论分子量	46kDa/50kDa/54kDa
实测分子量	55KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence within amino acids 119-199 of human THRA (NP_003241.2).
序列	GMAMDVLDDSKRVAKRKLIEQNRERRRKEEMIRSLQQRPEPTPEEWDLIHATEAHRSTNAQGSHWKQRRKFLPDDIGQS

## 靶点信息

研究背景	The protein encoded by this gene is a nuclear hormone receptor for triiodothyronine. It is one of the several receptors for thyroid hormone, and has been shown to mediate the biological activities of thyroid hormone. Knockout studies in mice suggest that the different receptors, while having certain extent of redundancy, may mediate different functions of thyroid hormone. Alternatively spliced transcript variants encoding distinct isoforms have been reported.
------	---

基因ID	7067
基因名	THRA
Swiss	P10827
别名	THRA;AR7;CHNG6;EAR7;ERB-T-1;ERBA;ERBA1;NR1A1;THRA1;THRA2;c-ERBA-1

## 产品验证



Western blot analysis of THRA expressed in SH-SY5Y using THRA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)