

RABGGTA Rabbit pAb

货号: **AYP17052**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:100 - 1:200 IF/ICC: 1:50 - 1:200
理论分子量	65kDa
实测分子量	55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat
细胞定位	cytoplasm,cytosol,plasma membrane,Rab-protein geranylgeranyltransferase complex
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 240-360 of human RABGGTA (NP_878256.1).
序列	DPQDALRCLHVS RDEACTV SFSRPLL VGS RMEILL MVDD S PLIVEWRTPDGRNRPSHVWLCDLPAASLNDQLPQH TFRVIW TAGDVQKECVLLKGRQEGWCRDSTTDEQLFRCELSVEK

靶点信息

研究背景	Catalyzes the transfer of a geranylgeranyl moiety from geranylgeranyl diphosphate to both cysteines of Rab proteins with the C-terminal sequence -XXCC, -XCXC and -CCXX, such as RAB1A, RAB3A, RAB5A and RAB7A.
基因ID	5875

基因名	RABGGTA
Swiss	Q92696
别名	RABGGTA;PTAR3

产品验证



Western blot analysis of RABGGTA expressed in Jurkat using RABGGTA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn