

TSPAN33 Rabbit pAb

货号: **AYP17104**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:200 - 1:1000 IHC: 1:50 - 1:200
理论分子量	31kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Membrane,Multi-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 200 to the C-terminus of human TSPAN33 (NP_848657.1).
序列	NTMCGQGMQAFDYLEASKVIYTNCGIDKLVNWIHSNLFLLGGVALGLAIPQLVGGILLSQILVNQIKDQIKLQLYNQQHRADPWY

靶点信息

研究背景	Plays an important role in normal erythropoiesis (By similarity. It has a role in the differentiation of erythroid progenitors (By similarity. Regulates maturation and trafficking of the transmembrane metalloprotein ADAM10. Negatively regulates ligand-induced Notch activity probably by regulating ADAM10 activity. Mediates docking of ADAM10 to zonula adherens by interacting with ADAM10 and, in a PDZD11-dependent manner, with the zonula adherens protein PLEKHA7.
------	--

基因ID	340348
基因名	TSPAN33
Swiss	Q86UF1
别名	TSPAN33;PEN;PEN.;TSPAN-33

产品验证



Western blot analysis of TSPAN33 expressed in Mouse brain,Rat brain using TSPAN33 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn