

NSMF Rabbit pAb

货号: **AYP17158**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	44kDa/56kDa/57kDa/59kDa/60kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	LO2,HT-29,293T,BT-474,Mouse brain
细胞定位	Cell junction,Cell membrane,Cell projection,Cytoplasm,Membrane,Nucleus,Nucleus envelope,Nucleus matrix,Nucleus membrane,Peripheral membrane protein,cell cortex,cytoskeleton,dendrite,postsynaptic cell membrane,postsynaptic density,synapse,synaptosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 226-505 of human NSMF (NP_001124443.1).
序列	FQTATTTMQANFRKHLRMVGSRRVKAQTFAERRERSFSRSWSDPTPMKADTSHDSRDSSDLQSSHCTLDEAFEDLDW DTEKGLEAVACDTEGFVPPKVMLISSKVPKAEYIPTIIRDDPSIIPILYDHEHATFEDILEEIERKLNIVYHKGAKIWKMLIFCQG GPGHLYLLKNKVATFAKVEKEEDMIHFWKRLSRLMSKVNPEPNVIHIMGCYILGNPNGEKLFQNLRLTMLTPYRVTFESPLEL SAQGKQMIETYDFRRLYLWKSQRHSLKLLDFDDVL

靶点信息

研究背景	The protein encoded by this gene is involved in guidance of olfactory axon projections and migration of luteinizing hormone-releasing hormone neurons. Defects in this gene are a cause of idiopathic hypogonadotropic hypogonadism (IHH). Several transcript variants encoding different isoforms have been found for this gene.
------	---

基因ID	26012
基因名	NSMF
Swiss	Q6X4W1
别名	NSMF;HH9;NELF

产品验证



Western blot analysis of NSMF expressed in Mouse brain, LO2, HT-29 using NSMF Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn