

— ABLYBIO, Help Your Research



PPIL2 Rabbit pAb

货号: **AYP17162**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	58kDa/59kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,Mouse spleen
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-260 of human PPIL2 (NP_680481.1).
------	---

靶点信息

研究背景	This gene is a member of the cyclophilin family of peptidylprolyl isomerases. The cyclophilins are a highly conserved ubiquitous family, members of which play an important role in protein folding, immunosuppression by cyclosporin A, and infection of HIV-1 virions. This protein interacts with the proteinase inhibitor eglin c and is localized in the nucleus. Alternatively spliced transcript variants have been found for this gene.
基因ID	23759
基因名	PPIL2
Swiss	Q13356 (https://www.uniprot.org/uniprotkb/Q13356/entry)
别名	PPIL2,CYC4,CYP60,Cyp-60,UBOX7,hCyP-60,PPIL2 Rabbit pAb,Cyclophilin-60,Probable inactive peptidyl-prolyl cis-trans isomerase-like 2,Rotamase PPIL2

产品验证



Western blot analysis of PPIL2 expressed in A-549, Mouse spleen using PPIL2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)