

# EDIL3 Rabbit pAb

货号: **AYP17199**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:1000 - 1:2000
理论分子量	52kDa/53kDa
实测分子量	54kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG, HeLa, DU145
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 60-300 of human EDIL3 (NP_005702.3).
序列	SSVVEVASDEEEPTSGAPCTPNPCHNGGTCEISEAYRGDTFIGYVCKCPRGFNGIHQCQHINECEVEPCKNGGICTDLVAN YSCECPGEFMGRNCQYKCSGPLGIEGGIISNQITASSTHRALFGLQKWYPYARLNKKGLINAWTAAENDRWPWIQINLQ RKMRVTGVITQGAKRIGSPEYIKSYKIAYSNDGKTWAMYKVKGTNEDMVFRGNIDNNTPYANSFTPIKAQYVRLYPQV

## 靶点信息

研究背景	The protein encoded by this gene is an integrin ligand. It plays an important role in mediating angiogenesis and may be important in vessel wall remodeling and development. It also influences endothelial cell behavior.
基因ID	10085

基因名	EDIL3
Swiss	O43854
别名	EDIL3;DEL1

## 产品验证



Western blot analysis of EDIL3 expressed in U-87MG, HeLa, DU145 using EDIL3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)