

SFRS9 Rabbit pAb

货号: AYP17215

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	25kDa
实测分子量	26kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BT-474,HT-29,HepG2,Mouse spleen,Mouse testis
细胞定位	Nucleus
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-221 of human SFRS9 (NP_003760.1).
序列	MSGWADERGGEGDGRIYVGNLPTDVREKDLDFYKYGRIREIELKNRHGLVPFAFVRFEDPRDAEDAIYGRNGYDYGQC RLRVEFPRTYGGRGGWPRGGRNGPPTRRSDFRVLVSGLPSSGSWQDLKDHMREAGDVCYADVQKDGVMVEYLRKE DMEYALRKLDLTKFRSHEGETSYIRVYPERSTSYGYSRSRSGSRGRDSPYQSRGSPHYFSPFRPY

靶点信息

研究背景	The protein encoded by this gene is a member of the serine/arginine (SR)-rich family of pre-mRNA splicing factors, which constitute part of the spliceosome. Each of these factors contains an RNA recognition motif (RRM) for binding RNA and an RS domain for binding other proteins. The RS domain is rich in serine and arginine residues and facilitates interaction between different SR splicing factors. In addition to being critical for mRNA splicing, the SR proteins have also been shown to be involved in mRNA export from the nucleus and in translation. Two pseudogenes, one on chromosome 15 and the other on chromosome 21, have been found for this gene.
基因ID	8683
基因名	SRSF9
Swiss	Q13242
别名	SRSF9;SFRS9;SRp30c

产品验证



Western blot analysis of SFRS9 expressed in Mouse spleen, BT-474, HT-29 using SFRS9 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn