

— ABLYBIO, Help Your Research



STAM Rabbit pAb

货号: **AYP17226**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:200 - 1:1000 IHC: 1:20 - 1:100
理论分子量	44kDa/59kDa
实测分子量	70kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,Jurkat,HeLa,HepG2,Mouse pancreas,Rat liver
细胞定位	Cytoplasm,Cytoplasmic side,Early endosome membrane,Peripheral membrane protein
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 120-210 of human STAM (NP_003464.1).
------	--

靶点信息

研究背景	This gene encodes a member of the signal-transducing adaptor molecule family. These proteins mediate downstream signaling of cytokine receptors and also play a role in ER to Golgi trafficking by interacting with the coat protein II complex. The encoded protein also associates with hepatocyte growth factor-regulated substrate to form the endosomal sorting complex required for transport-0 (ESCRT-0), which sorts ubiquitinated membrane proteins to the ESCRT-1 complex for lysosomal degradation. Alternatively spliced transcript variants have been observed for this gene.
基因ID	8027
基因名	STAM
Swiss	Q92783 (https://www.uniprot.org/uniprotkb/Q92783/entry)
别名	STAM,STAM-1,STAM1,STAM Rabbit pAb

产品验证



Western blot analysis of STAM expressed in Mouse pancreas,Rat liver,SH-SY5Y using STAM Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)