

TLN1 Rabbit pAb

货号: **AYP17231**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	269kDa
实测分子量	240kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG
细胞定位	Cell junction,Cell projection,Cell surface,Cytoplasm,Cytoplasmic side,Peripheral membrane protein,cytoskeleton,focal adhesion,ruffle membrane
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human TLN1 (NP_006280.3).
序列	MVALSLKISIGNVVKTMQFEPSTMVYDACRIIRERIPEAPAGPPSDFGLFLSDDDPKGGIWLEAGKALDYMLRNGDTMEY RKKQRPLKIRMLDGTVKTIMVDDSKVTVDMLMTICARIGITNHDEYSLVRELMEEKKEEITGTLRKDKTLLRDEKKMEKLLQ KLHTDDELNWLHDHGRTRLREQVVEEHETLLLRKFFYSQNVDSRDPVQLNLLYVQAR

靶点信息

研究背景	This gene encodes a cytoskeletal protein that is concentrated in areas of cell-substratum and cell-cell contacts. The encoded protein plays a significant role in the assembly of actin filaments and in spreading and migration of various cell types, including fibroblasts and osteoclasts. It codistributes with integrins in the cell surface membrane in order to assist in the attachment of adherent cells to extracellular matrices and of lymphocytes to other cells. The N-terminus of this protein contains elements for localization to cell-extracellular matrix junctions. The C-terminus contains binding sites for proteins such as beta-1-integrin, actin, and vinculin.
基因ID	7094
基因名	TLN1
Swiss	Q9Y490
别名	TLN1;ILWEQ;TLN;talin-1

产品验证



Western blot analysis of TLN1 expressed in U-87MG using TLN1 Rabbit pAb at 1:1000. Secondary antibody : HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn