

DYNC11 Rabbit pAb

货号: AYP17271

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:200 - 1:2000 IHC: 1:20 - 1:200
理论分子量	67kDa/68kDa/70kDa/72kDa
实测分子量	73kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,SH-SY5Y,HeLa,Mouse testis,Mouse brain,Mouse skeletal muscle,Rat brain,Rat testis
细胞定位	Chromosome,Cytoplasm,centromere,cytoskeleton,kinetochore,spindle pole
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human DYNC11 1 (NP_001129028.1).
序列	MSDKSDLKAELEKQRLAQIREEKRRKEEERKKKEADMQQKKEPVQDDSDLDRKRRETEALLQSIGISPEPPLVPTPMSPSSKSVSTPSEAGSQDSGLGPLRTRLQWDTDPSVLQLQSDSELGRRHLKLGVSKVTQVDFLPREVVSYSKETQTPLATHQSEEEDEEMVESKVGQDSELENQDKKQEVKEAPPRELTTEEKQQLHSEEFLLIFFDRT

靶点信息

研究背景	Acts as one of several non-catalytic accessory components of the cytoplasmic dynein 1 complex that are thought to be involved in linking dynein to cargos and to adapter proteins that regulate dynein function. Cytoplasmic dynein 1 acts as a motor for the intracellular retrograde motility of vesicles and organelles along microtubules. The intermediate chains mediate the binding of dynein to dynactin via its 150 kDa component (p150-glued DCTN1). May play a role in mediating the interaction of cytoplasmic dynein with membranous organelles and kinetochores.
------	--

基因ID	1780
基因名	DYNC1I1
Swiss	O14576
别名	DYNC1I1;DNCI1;DNCIC1

产品验证



Western blot analysis of DYNC1I1 expressed in Mouse testis,Rat brain,Jurkat using DYNC1I1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn