

ARHGAP1 Rabbit pAb

货号: **AYP17288**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IP
推荐浓度	WB: 1:500 - 1:2000 IP: 1:50 - 1:100
理论分子量	50kDa
实测分子量	50kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	BxPC-3,HeLa,HepG2,U-87MG,PC-12,Mouse lung
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 210-439 of human ARH GAP1 (NP_004299.1).
序列	VLKYDDFLKSTQKSPATAPKMPPRPPLPNQQFGVSLQHLQEKNEQEPIPIVLRRETVAYLQAHALTTEGIFRRSANTQVVR EVQQKYNMGLPVDFDQYNELHLPVILKFTLRELPEPLLTFDLYPHVVGFLNIDESQRVPATLQVLQTLPEENYQVLRFLTAF LVQISAHSDQNKMTNTNLAVVFGPNLLWAKDAAITLKAINPINTFTKFLLDHQGELFSPDPSGL

靶点信息

研究背景	This gene encodes a member of a large family of proteins that activate Rho-type guanosine triphosphate (GTP) metabolizing enzymes. The encoded protein contains a SRC homology 3 domain and interacts with Bcl-2-associated protein family members.
基因ID	392

基因名	ARHGAP1
Swiss	Q07960
别名	ARHGAP1;CDC42GAP;RHOGAP;RHOGAP1;p50rhoGAP

产品验证



Western blot analysis of ARHGAP1 expressed in Mouse lung, BxPC-3, HeLa using ARHGAP1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn