

VIPAS39 Rabbit pAb

货号: **AYP17308**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	51kDa/57kDa
实测分子量	57kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	MCF7,HepG2,Jurkat,HeLa,Mouse liver,Mouse kidney
细胞定位	Cytoplasm,Cytoplasmic vesicle,Early endosome,Late endosome,Recycling endosome
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human VIPAS39 (NP_071350.2).
序列	MNRTKGDEEEYWNSKFKAFDDEDEDELSQLKESKRAVNSLRDFVDDDDDDDLERSVSWGEPVGSISWSIRETAGNS GSTHEGREQLKSRNSFSSYAQLPKPTSTYLSFFRGRTRPGSFQSLSDALS DTPAKSYAPELGRPKGEYRDYSNDWSPS D TVRRLRKGKVC SLERFRSLQDKLQLLEEAVSMHDGNVITAVLIFLKRTLSKEILFRELEVR

靶点信息

研究背景	This gene encodes a protein involved in the sorting of lysosomal proteins. Mutations in this gene are associated with ARCS2 (arthrogryposis, renal dysfunction, and cholestasis-2). Alternative splicing results in multiple transcript variants.
基因ID	63894

基因名	VIPAS39
Swiss	Q9H9C1
别名	VIPAS39;C14orf133;SPE-39;SPE39;VIPAR;VPS16B;hSPE-39

产品验证



Western blot analysis of VIPAS39 expressed in Mouse liver, MCF7, HepG2 using VIPAS39 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn