

— ABLYBIO, Help Your Research



C14orf166 Rabbit pAb

货号: **AYP17313**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	28kDa
实测分子量	25kDa/28kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,293T,NIH/3T3
细胞定位	Cytoplasm,Nucleus,centrosome,cytoskeleton,cytosol,microtubule organizing center,perinuclear region
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-244 of human C14orf166 (NP_057123.1).
------	---

靶点信息

研究背景	RNA-binding protein involved in modulation of mRNA transcription by Polymerase II. Component of the tRNA-splicing ligase complex and is required for tRNA ligation. May be required for RNA transport.
------	--

基因ID	51637
基因名	C14orf166
Swiss	Q9Y224 (https://www.uniprot.org/uniprotkb/Q9Y224/entry)
别名	C14orf166,CGI-99,CGI99,CLE,CLE7,LCRP369,RLLM1,hCLE1,C14orf166 Rabbit pAb,CLE7 homolog,RNA transcription,translation and transport factor protein

产品验证



Western blot analysis of C14orf166 expressed in Jurkat,293T,NIH/3T3 using C14orf166 Rabbit pAb at 1:10 00. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)