

— ABLYBIO, Help Your Research



# NFIA Rabbit pAb

货号: **AYP17341**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	<b>WB:</b> 1:200 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF:</b> 1:50 - 1:200
理论分子量	54kDa/55kDa/60kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Nucleus
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 180-330 of human NFIA (NP_005586.1).
------	--

## 靶点信息

研究背景	This gene encodes a member of the NF1 (nuclear factor 1) family of transcription factors. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	4774
基因名	NFIA
Swiss	Q12857 ( <a href="https://www.uniprot.org/uniprotkb/Q12857/entry">https://www.uniprot.org/uniprotkb/Q12857/entry</a> )
别名	NFIA,CTF,NF-I/A,NF1-A,NFI-A,NFI-L,BRMUTD,NFIA Rabbit pAb,CCAAT-box-binding transcription factor,Nuclear factor I/A,TGGCA-binding protein,KIAA1439

## 产品验证



Western blot analysis of NFIA expressed in Mouse brain using NFIA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))