

# NFIA Rabbit pAb

货号: **AYP17341**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	<b>WB:</b> 1:200 - 1:2000 <b>IHC:</b> 1:50 - 1:200 <b>IF:</b> 1:50 - 1:200
理论分子量	54kDa/55kDa/60kDa
实测分子量	60kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain
细胞定位	Nucleus
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 180-330 of human NFIA (NP_005586.1).
序列	AYFVHAADSSQSESPSQPSDADIKDQPENHGLGFQDSFVTSVGVFVTELVRVVSQTPIAAGTGPNFSLSDLESSSYISMSP GAMRRSLPSTSTSTKRLKSVEDMSPGEEPFYTGQGRSPGSGSQSSGWHEVEPGMPSPTLLKKEKSG

## 靶点信息

研究背景	This gene encodes a member of the NF1 (nuclear factor 1) family of transcription factors. Multiple transcript variants encoding different isoforms have been found for this gene.
基因ID	4774

基因名	NFIA
Swiss	Q12857
别名	NFIA;CTF;NF-I/A;NF1-A;NFI-A;NFI-L;BRMUTD

## 产品验证



Western blot analysis of NFIA expressed in Mouse brain using NFIA Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)