

# CHRNA10 Rabbit pAb

货号: **AYP17388**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:200 - 1:1000
理论分子量	49kDa
实测分子量	45kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	HL-60, U2OS
细胞定位	Cell junction, Cell membrane, Multi-pass membrane protein, postsynaptic cell membrane, synapse
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 25-240 of human CHRNA10 (NP_065135.2).
序列	AEGRALKLFRDLFANYTSALRPVADTDQTLNVTLEVTLSQIIDMDERNQVLTLYLWIRQEWTDAYLRWDPNAYGGLDAIRI PSSLVWRPDI VLYNKADAQPPGSASTNVVLRHDGAVRWDAPAITRSSCRVDVAAFPFD AQHCGLTFGSWTHGGHQLDV RPRGAAASLADFVENVEWRVLGMPARRRVLTYGCCSEYPYDVTFTLLLRRAAAAYV

## 靶点信息

研究背景	Ionotropic receptor with a probable role in the modulation of auditory stimuli. Agonist binding may induce an extensive change in conformation that affects all subunits and leads to opening of an ion-conducting channel across the plasma membrane. The channel is permeable to a range of divalent cations including calcium, the influx of which may activate a potassium current which hyperpolarizes the cell membrane. In the ear, this may lead to a reduction in basilar membrane motion, altering the activity of auditory nerve fibers and reducing the range of dynamic hearing. This may protect against acoustic trauma.
------	---

基因ID	57053
基因名	CHRNA10
Swiss	Q9GZZ6
别名	CHRNA10

## 产品验证



Western blot analysis of CHRNA10 expressed in HL-60,U2OS using CHRNA10 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)