

BDKRB2 Rabbit pAb

货号: **AYP17440**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	41kDa/44kDa
实测分子量	44kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-549,MCF7,Mouse liver,Rat liver
细胞定位	Cell membrane,Multi-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 302-391 of human BDKRB2 (NP_000614.1).
序列	SSCQDERIIDVITQIASFMAYSNSCLNPLVYVIVGKRFRKKSWEVYQVCQKGGCRSEPIQMENSMGTLRTSISVERQIHKLQDWAGSRQ

靶点信息

研究背景	This gene encodes a receptor for bradykinin. The 9 aa bradykinin peptide elicits many responses including vasodilation, edema, smooth muscle spasm and pain fiber stimulation. This receptor associates with G proteins that stimulate a phosphatidylinositol-calcium second messenger system. Alternate start codons result in two isoforms of the protein.
基因ID	624

基因名	BDKRB2
Swiss	P30411
别名	BDKRB2;B2R;BK-2;BK2;BKR2;BRB2

产品验证



Western blot analysis of BDKRB2 expressed in Mouse liver,Rat liver,A-549 using BDKRB2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn