

— ABLYBIO, Help Your Research



GNAS Rabbit pAb

货号: **AYP17463**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	28kDa/44kDa/45kDa/77kDa/109kDa/111kDa
实测分子量	43kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	NCI-H460,SW620,Mouse skeletal muscle,Mouse brain,Mouse heart
细胞定位	Cell membrane By similarity; Lipid-anchor By similarity
纯化	Affinity purification


抗原信息

抗原信息	A synthetic peptide corresponding to a sequence within amino acids 1-100 of human GNAS (P63092).
------	--

靶点信息

研究背景	This locus has a highly complex imprinted expression pattern. It gives rise to maternally, paternally, and biallelically expressed transcripts that are derived from four alternative promoters and 5' exons. Some transcripts contain a differentially methylated region (DMR) at their 5' exons, and this DMR is commonly found in imprinted genes and correlates with transcript expression. An antisense transcript is produced from an overlapping locus on the opposite strand. One of the transcripts produced from this locus, and the antisense transcript, are paternally expressed noncoding RNAs, and may regulate imprinting in this region. In addition, one of the transcripts contains a second overlapping ORF, which encodes a structurally unrelated protein - Alex. Alternative splicing of downstream exons is also observed, which results in different forms of the stimulatory G-protein alpha subunit, a key element of the classical signal transduction pathway linking receptor-ligand interactions with the activation of adenylyl cyclase and a variety of cellular responses. Multiple transcript variants encoding different isoforms have been found for this gene. Mutations in this gene result in pseudohypoparathyroidism type 1a, pseudohypoparathyroidism type 1b, Albright hereditary osteodystrophy, pseudopseudohypoparathyroidism, McCune-Albright syndrome, progressive osseous heteroplasia, polyostotic fibrous dysplasia of bone, and some pituitary tumors.
基因ID	2778
基因名	GNAS
Swiss	O95467 (https://www.uniprot.org/uniprotkb/O95467/entry), P63092 (https://www.uniprot.org/uniprotkb/P63092/entry), P84996 (https://www.uniprot.org/uniprotkb/P84996/entry), Q5JWF2 (https://www.uniprot.org/uniprotkb/Q5JWF2/entry)
别名	GNAS,AHO,C20orf45,GNAS1,GPSA,GSA,GSP,NESP,POH,SCG6,SgVI,GNAS Rabbit pAb,Adenylate cyclase-stimulating G alpha protein,Alternative gene product encoded by XL-exon,Extra large alphas protein

产品验证



Western blot analysis of GNAS expressed in Mouse skeletal muscle, NCI-H460, SW620 using GNAS Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/www.ablybio.cn>)