

BRD3 Rabbit pAb

货号: **AYP17546**

产品信息

反应	Human,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:1000 IHC: 1:50 - 1:100 IF/ICC: 1:50 - 1:100
理论分子量	60kDa/79kDa
实测分子量	115kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,HeLa,HepG2,DU145,BT-474
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 150-305 of human BRD3 (NP_031397.1).
序列	PAPKGGKGRKPAAGAQSAGTQQVAAVSSVSPATPFQSVPTVSQTPVIAATPVPTITANVTSVPVPPAAAPPPATPIVPVVP PTPPVKKKGVKRAKADTTTPTTSAITASRSESPPLSDPKQAKVVARRESGGRIKPPKDLLEDGEVPQHAGKK

靶点信息

研究背景	This gene was identified based on its homology to the gene encoding the RING3 protein, a serine/threonine kinase. The gene localizes to 9q34, a region which contains several major histocompatibility complex (MHC) genes. The function of the encoded protein is not known.
基因ID	8019

基因名	BRD3
Swiss	Q15059
别名	BRD3;ORFX;RING3L

产品验证



Western blot analysis of BRD3 expressed in Jurkat, HeLa, HepG2 using BRD3 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn