

— ABLYBIO, Help Your Research



Egr4 Rabbit pAb

货号: **AYP17592**

产品信息

| | |
|-------|--|
| 反应 | Mouse |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:2000 |
| 理论分子量 | 61kDa |
| 实测分子量 | 58kDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | Mouse brain, Mouse kidney |
| 细胞定位 | Nucleus |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 1-367 of mouse Egr4 (NP_065621.1). |
|------|--|

靶点信息

| | |
|-------|---|
| 研究背景 | Transcriptional regulator. Recognizes and binds to the DNA sequence 5'-GCGGGGGCG-3' (GSG). Activates the transcription of target genes whose products are required for mitogenesis and differentiation (By similarity). |
| 基因ID | 13656 |
| 基因名 | EGR4 |
| Swiss | Q05215 |
| 别名 | EGR4,NGFI-C,NGFIC,PAT133,NGF1-C,Egr4 Rabbit pAb,AT133 |

产品验证



Western blot analysis of Egr4 expressed in Mouse brain, Mouse kidney using Egr4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)