

SP4 Rabbit pAb

货号: **AYP17632**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:100 - 1:200
理论分子量	81kDa
实测分子量	82kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse thymus,Mouse spleen,Mouse pancreas,Rat thymus
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 280-440 of human SP4 (NP_003103.2).
序列	TGQVGQPAATADSGTSNGNQLVSTPTNTTTSASTMPESPSSSTCTTTASTSLTSSDTLVSSADTGQYASTSASSERTIE ESQTPAATESEAQSSSQLQPNGMQNAQDQSNLQQVQIVGQPILQQIQIQPQQQIIQAIPPQSFQLQSGQTIQTIQQQP

靶点信息

研究背景	The protein encoded by this gene is a transcription factor that can bind to the GC promoter region of a variety of genes, including those of the photoreceptor signal transduction system. The encoded protein binds to the same sites in promoter CpG islands as does the transcription factor SP1, although its expression is much more restricted compared to that of SP1. This gene may be involved in bipolar disorder and schizophrenia.
------	--

基因ID	6671
基因名	SP4
Swiss	Q02446
别名	SP4;HF1B;SPR-1

产品验证



Western blot analysis of SP4 expressed in Mouse thymus,Rat thymus,Mouse spleen using SP4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn