

# LZTS1 Rabbit pAb

货号: **AYP17671**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:1000 - 1:5000
理论分子量	8kDa/22kDa/55kDa/59kDa/62kDa/63kDa/66kDa
实测分子量	67kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Jurkat,Mouse brain,Rat brain
细胞定位	Cell junction,Cell membrane,Cell projection,Cytoplasm,dendritic spine,postsynaptic cell membrane,postsynaptic density,synapse
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 337-596 of human LZTS 1 (NP_066300.1).
序列	QLQQEKRQLRQELESLMKEQDLLETKLRSYEREKTSFGPALEETQWEVCQKSGEISLLKQQLKESQTEVNAKASEILGLKA QLKDTRGKLEGLRLRTQDLEGALRTKGLELEVCENELQRKKNEAELLREKVNLEQELQELRAQAALARDMGPPTFPEDVP ALQRELERLRAELREERQGHDMSSGFQHERLVWKEEKEKVIQYQKQLQSSYVAMYQRNQRLEKALQQLARGDSAGEP LEVDLEGADIPYEDIATEI

## 靶点信息

研究背景	This gene encodes a tumor suppressor protein that is ubiquitously expressed in normal tissues. In uveal melanomas, expression of this protein is silenced in rapidly metastasizing and metastatic tumor cells but has normal expression in slowly metastasizing or nonmetastasizing tumor cells. This protein may have a role in cell-cycle control by interacting with the Cdk1/cyclinB1 complex. This gene is located on chromosomal region 8p22. Loss of heterozygosity (LOH) in the 8p arm is a common characteristic of many types of cancer.
基因ID	11178
基因名	LZTS1
Swiss	Q9Y250
别名	LZTS1;F37;FEZ1

## 产品验证



Western blot analysis of LZTS1 expressed in Jurkat, Mouse brain, Rat brain using LZTS1 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)