

# P2RY10 Rabbit pAb

货号: **AYP17687**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	38kDa
实测分子量	42kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,K-562,HepG2,Jurkat,Mouse thymus,Mouse liver,Rat thymus,Rat liver
细胞定位	Cell membrane,Multi-pass membrane protein
纯化	Affinity purification

## 抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 200 to the C-terminus of human P2RY10 (NP_001311147.1).
序列	TV AELAGFVIPV IIIAWCTWKTTISLRQPPMAFQGISERQKALRMVFMCAAVFFICFTPYHINFIFYTMVKETIISCPVVR IALYFHPFCLCLASLCCLLDPILYYFMASEFRDQLSRHGSSVTRSRLMSKESGSSMIG

## 靶点信息

研究背景	The protein encoded by this gene belongs to the family of G-protein coupled receptors that are preferentially activated by adenosine and uridine nucleotides. There is a pseudogene for this gene nearby on chromosome X. Multiple alternatively spliced transcripts have been observed.
基因ID	27334

基因名	P2RY10
Swiss	O00398
别名	P2RY10;LYPSR2;P2Y10

## 产品验证



Western blot analysis of P2RY10 expressed in Mouse thymus,Rat thymus,U-251MG using P2RY10 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 12 0s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)