

# FSTL5 Rabbit pAb

货号: **AYP17714**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	94kDa/95kDa
实测分子量	93-100kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	SH-SY5Y,Mouse lung,Mouse brain,Rat testis
细胞定位	Secreted
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 21-250 of human FSTL5 (NP_064501.2).
序列	RPTKEGGYGLKSYQPLMRLRHKQEKQESSRVKGFMIQDGPFGSCENKYCGLGRHCVTSRETGQAECACMDLCKRHYK PVCGSDGEFYENHCEVHRAACLKKQKITIVHNEDCFFKGDCKTTEYSKMKNMLLDLQNKQYIMQENENPNGDDISRKKL LVDQMFKYFDADSNGLVDINELTQVIKQEELGKDLFDCTLYVLLKYDDFNADKHLALEEFYRAFQVIQLSLP

## 靶点信息

研究背景	Predicted to enable calcium ion binding activity. Predicted to be involved in cell differentiation. Predicted to be located in extracellular region.
基因ID	56884

基因名	FSTL5
Swiss	Q8N475
别名	FSTL5

## 产品验证



Western blot analysis of FSTL5 expressed in Mouse lung,Rat testis,SH-SY5Y using FSTL5 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)