

# Septin 3 Rabbit pAb

货号: **AYP17720**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	9kDa/40kDa
实测分子量	41kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse brain,Rat brain
细胞定位	Cell junction,Cytoplasm,cytoskeleton,synapse
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 179-358 of human Septin 3 (NP_663786.2).
序列	SPTGHSRLRPLDLEFMKHLKVVNIIPVIKADMTMLEEKSEFKQVRKELEVNGIEFYQPKEFDEDEDLEDKTENDKIRQESMPF AVVGSKEYQVNGKRVLGRKTPWGIIEVENLNHCEFALLRDFVIRTHLQDLKEVTHNIHYETYRAKRLNDNGGLPPGEGLL GTVLPPVPATPCPTAE

## 靶点信息

研究背景	This gene belongs to the septin family of GTPases. Members of this family are required for cytokinesis. Expression is upregulated by retinoic acid in a human teratocarcinoma cell line. The specific function of this gene has not been determined. Alternative splicing of this gene results in two transcript variants encoding different isoforms.
------	--

基因ID	55964
基因名	SEPT3
Swiss	Q9UH03
别名	SEPT3;SEP3;bK250D10.3;septin 3

## 产品验证



Western blot analysis of Septin 3 expressed in Mouse brain, Rat brain using Septin 3 Rabbit pAb at 1:1000 . Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)