

PARS2 Rabbit pAb

货号: **AYP17727**

产品信息

反应	Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	53kDa
实测分子量	55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Rat brain
细胞定位	Mitochondrion matrix
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 30-220 of human PARS2 (NP_689481.2).
序列	HHCAPRRGRRLLSRVFQPQNLREDRVLSLQDKSDDLTKSQRMLQVGLIYPASPGCYHLLPYTVRAMEKLRVIDQEM QAIGGQKVNMPSPSPAELWQATNRWDLMGKELLRLRDRHGKEYCLGPTHEEAITALIASQKLSYKQLPFLLYQVTRKFRD EPRPRFGLLRGREFYMKDMYTFDSSPEAAQ

靶点信息

研究背景	This gene encodes a putative member of the class II family of aminoacyl-tRNA synthetases. These enzymes play a critical role in protein biosynthesis by charging tRNAs with their cognate amino acids. This protein is encoded by the nuclear genome but is likely to be imported to the mitochondrion where it is thought to catalyze the ligation of proline to tRNA molecules. Mutations have been found in this gene in some patients with Alpers syndrome.
------	---

基因ID	25973
基因名	PARS2
Swiss	Q7L3T8
别名	PARS2;MT-PRORS;proRS

产品验证



Western blot analysis of PARS2 expressed in Rat brain using PARS2 Rabbit pAb at 1:1000. Secondary anti body: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% no n-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn