

CFAP53 Rabbit pAb

货号: **AYP17755**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	61kDa
实测分子量	62kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Rat testis
细胞定位	Cell projection,cilium
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human CFAP53 (NP_659457.2).
序列	MYSQRFQGTQREVKGPTPKVVIVRSKPPKGQGAEHHLERIRRS HQKH NAILASIKSSERDRLKAEWDQHNDCKILDSLVRARIKDAVQGGFIINIEERRNKLRELLALEENEYFTEMQLKKETIEEKKDRMREKTKLLKEKNEKERQDFVAEKLDQQFRERCEELRVELLSIHQKKVCEERKAQIAFNEELSRQKLVVEEQMFSKLWEEDRLAKEKREARQKELMENTRLGLNAQITSIKAQRQA TQLLKEEEARLVESNNAQIKHENEQDMLKKQKAKQETRILQKALQERIEHIQ

靶点信息

研究背景	This gene belongs to the CFAP53 family. It was found to be differentially expressed by the ciliated cells of frog epidermis and in skin fibroblasts from human. Mutations in this gene are associated with visceral heterotaxy-6, which implicates this gene in determination of left-right asymmetric patterning.
------	--

基因ID	220136
基因名	CFAP53
Swiss	Q96M91
别名	CFAP53;CCDC11;HTX6

产品验证



Western blot analysis of CFAP53 expressed in Mouse testis,Rat testis using CFAP53 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn