

THSD7A Rabbit pAb

货号: **AYP17756**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	185kDa
实测分子量	260kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T
细胞定位	Cell membrane,Secreted,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 48-350 of human THSD 7A (NP_056019.1).
序列	AAQGEAEAPTLYLWKTGPWGRCMGDECGPGGIQTRAVWCAHVEGWTTLHTNCKQAERPNNQNCFKVCDWHKELYD WRLGPWNQCQPVISKSLEKPLECIKGEEGIQVREIACIQDKDIPAEDIICEYFEPKPLLEQAQLIPCQQDCIVSEFSAWSECS KTCGSQLQHRTRHVVAPPQFGGSGCPNLTEFQVCQSSPCEAEELRYSLVHVGWPSTCSMPHSRQVRQARRRGKKNKEREK DRSKGVKDPEARELIKKRNRNRQNRQENKYWDIQIGYQTREVMCINKTGKAADLSFCQQEKLPM

靶点信息

研究背景	The protein encoded by this gene is found almost exclusively in endothelial cells from placenta and umbilical cord. The encoded protein appears to interact with alpha(V)beta(3) integrin and paxillin to inhibit endothelial cell migration and tube formation. This protein may be involved in cytoskeletal organization. Variations in this gene may be associated with low bone mineral density in osteoporosis.
------	--

基因ID	221981
基因名	THSD7A
Swiss	Q9UPZ6
别名	THSD7A

产品验证



Western blot analysis of THSD7A expressed in 293T using THSD7A Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn