

IL13RA2 Rabbit pAb

货号: **AYP17878**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC
推荐浓度	WB: 1:1000 - 1:5000 IHC: 1:50 - 1:200
理论分子量	44kDa
实测分子量	50-65KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-251MG,A375,Rat uterus
细胞定位	Membrane,Single-pass type I membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 27-343 of human IL13RA2 (NP_000631.1).
序列	DTEIKVNPPQDFEIVDPGYLGYYLQWQPPLSLDHFKECTVEYELKYRNIGSETWKTITKNLHYKDGFDLNKGIEAKIHTLLP WQCTNGSEVQSSWAETTYWISPGIPETKVQDMDCVYYNWQYLLCSWKPGIGVLLDTNYNLFYWYEGLDHALQCVDYI KADGQNIQCRFPYLEASDYKDFYICVNGSSENKPIRSSYFTFLQNIQVPLPPVYLTFTRESSCEIKLKWISPLGPIPARCFDY EIEIREDDTTLVTATVENETYTLKTTNETRQLCFVVRSKVNIYCSDDGIWSEWSDKQCWEGEDLSKKTLLR

靶点信息

研究背景	The protein encoded by this gene is closely related to IL13RA1, a subunit of the interleukin 13 receptor complex. This protein binds IL13 with high affinity, but lacks cytoplasmic domain, and does not appear to function as a signal mediator. It is reported to play a role in the internalization of IL13.
------	---

基因ID	3598
基因名	IL13RA2
Swiss	Q14627
别名	IL13RA2;CD213A2;CT19;IL-13R;IL13BP

产品验证



Western blot analysis of IL13RA2 expressed in U-251MG,A375,Rat uterus using IL13RA2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn