

# CD69 Rabbit pAb

货号: **AYP17879**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:1000
理论分子量	22KDa
实测分子量	25-45KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-937,Mouse lung,Mouse spleen,Rat lung,Rat spleen
细胞定位	Membrane,Single-pass type II membrane protein
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence within amino acids 1-80 of human CD69 (NP_001772.1).
序列	MSSENCFVAENSSLHPESGQENDATSPHFSTRHEGSFQVPVLCAMNVVFITILIALIALSVGQYNCPGQYTFSMPSDS

## 靶点信息

研究背景	This gene encodes a member of the calcium dependent lectin superfamily of type II transmembrane receptors. Expression of the encoded protein is induced upon activation of T lymphocytes, and may play a role in proliferation. Furthermore, the protein may act to transmit signals in natural killer cells and platelets.
基因ID	969
基因名	CD69

<b>Swiss</b>	Q07108
别名	CD69;AIM;BL-AC/P26;CLEC2C;EA1;GP32/28;MLR-3

## 产品验证



Western blot analysis of CD69 expressed in Mouse lung,Rat lung,U-937 using CD69 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)