

# ADORA2B Rabbit pAb

货号: **AYP17914**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:100 - 1:500 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	36kDa
实测分子量	36KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431,293T
细胞定位	Cell membrane,Multi-pass membrane protein
纯化	Affinity purification

## 抗原信息


抗原信息	A synthetic peptide corresponding to a sequence within amino acids 100-200 of human ADORA2B (NP_000667.1).
序列	AVDRYLAICVPLRYKSLVTGTRARGVIAVLWVLAFIGLTPFLGWNSKDSATNNCTEPWDGTTNESCCLVKCLFENVVPM S YMVYFNFFGCVLPPLLIMLV

## 靶点信息

研究背景	This gene encodes an adenosine receptor that is a member of the G protein-coupled receptor superfamily . This integral membrane protein stimulates adenylate cyclase activity in the presence of adenosine. This protein also interacts with netrin-1, which is involved in axon elongation. The gene is located near the Smith-Magenis syndrome region on chromosome 17.
基因ID	136

基因名	ADORA2B
Swiss	P29275
别名	ADORA2B;ADORA2

## 产品验证



Western blot analysis of ADORA2B expressed in A-431,293T using ADORA2B Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)