

— ABLYBIO, Help Your Research



CAR/CXADR Rabbit pAb

货号: **AYP17958**

产品信息

| | |
|-------|--|
| 反应 | Human,Mouse,Rat |
| 宿主 | Rabbit |
| 克隆性 | Polyclonal |
| 预测反应 | |
| 应用 | WB |
| 推荐浓度 | WB: 1:500 - 1:1000 |
| 理论分子量 | 9kDa/22kDa/28kDa/35kDa/38kDa/40kDa |
| 实测分子量 | 50KDa |
| 形式 | Liquid |
| 保存条件 | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3. |
| 偶联物 | Unconjugated |
| 阳性对照 | U-251MG,Mouse kidney |
| 细胞定位 | Basolateral cell membrane,Cell junction,Cell membrane,Secreted,Single-pass membrane protein,Single-pass type I membrane protein,Single-pass type I membrane protein,adherens junction,tight junction |
| 纯化 | Affinity purification |


抗原信息

| | |
|------|--|
| 抗原信息 | Recombinant fusion protein containing a sequence corresponding to amino acids 20-237 of human CAR/CXADR (NP_001329.1). |
|------|--|

靶点信息

| | |
|-------|---|
| 研究背景 | The protein encoded by this gene is a type I membrane receptor for group B coxsackieviruses and subgroup C adenoviruses. Several transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene are found on chromosomes 15, 18, and 21. |
| 基因ID | 1525 |
| 基因名 | CXADR |
| Swiss | P78310 (https://www.uniprot.org/uniprotkb/P78310/entry) |
| 别名 | CXADR,CAR,CAR4/6,HCAR,CAR/CXADR Rabbit pAb,CVB3-binding protein,Coxsackievirus B-adenovirus receptor,HCVADR |

产品验证



Western blot analysis of CAR/CXADR expressed in U-251MG, Mouse kidney using CAR/CXADR Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)