

— ABLYBIO, Help Your Research



IGHMBP2 Rabbit pAb

货号: **AYP18054**

产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IHC IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IHC: 1:50 - 1:100 IF/ICC: 1:50 - 1:100
理论分子量	109kDa
实测分子量	109kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2,A-549,Mouse brain,Mouse testis,Rat brain
细胞定位	Cell projection,Cytoplasm,Nucleus,axon
纯化	Affinity purification


抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 540-720 of human IGHMBP2 (NP_002171.2).
------	---

靶点信息

研究背景	This gene encodes a helicase superfamily member that binds a specific DNA sequence from the immunoglobulin mu chain switch region. Mutations in this gene lead to spinal muscle atrophy with respiratory distress type 1.
基因ID	3508
基因名	IGHMBP2
Swiss	P38935 (https://www.uniprot.org/uniprotkb/P38935/entry)
别名	IGHMBP2,CATF1,CMT2S,HCSA,HMN6,SMARD1,SMUBP2,ZFAND7,IGHMBP2 Rabbit pAb,ATP-dependent helicase IGHMBP2,Glial factor 1,Immunoglobulin mu-binding protein 2,SMBP2

产品验证



Western blot analysis of IGHMBP2 expressed in Mouse brain,Rat brain,HepG2 using IGHMBP2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn (<https://www.ablybio.cn/>www.ablybio.cn)