

UBAC2 Rabbit pAb

货号: **AYP18080**

产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	15kDa/18kDa/26kDa/34kDa/38kDa
实测分子量	39kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse kidney, Mouse brain
细胞定位	Endoplasmic reticulum membrane, Multi-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 220-310 of human UBA C2 (NP_001137544.1).
序列	PIFSSEPTSEARIGMGATLDIQRQRMELLDRQLMFSQFAQGRRRQRQQGGMINWNRLFPPLRQRQNVNYQGGRQSE PAAPPLEVSEEQV

靶点信息

研究背景	Restricts trafficking of FAF2 from the endoplasmic reticulum to lipid droplets. In association with LMBR1L and E3 ubiquitin-protein ligase AMFR, negatively regulates the canonical Wnt signaling pathway in the lymphocytes by promoting the ubiquitin-mediated degradation of CTNNB1 and Wnt receptors FZD6 and LR P6.
基因ID	337867

基因名	UBAC2
Swiss	Q8NBM4
别名	UBAC2;PHGDHL1

产品验证



Western blot analysis of UBAC2 expressed in Mouse kidney, Mouse brain using UBAC2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn