

# TRIM60 Rabbit pAb

货号: **AYP18090**

## 产品信息

反应	Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	55kDa
实测分子量	55kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis
细胞定位	cytoplasm
纯化	Affinity purification

## 抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human TRIM60 (NP_689833.1).
序列	MEFVTALVNLQEESSPICLEYLKDPTVINCGHNFCRSCLSVSWKLDLDDTFPCPVCRFCFPYKSFRRNPQLRNLTEIAKQLQIRRSKRKRQKENAMCEKHNQFLTLFCVKDLEILCTQCSFSTKHQKHICYPIKKAASYHREILEGSLEPLRNNIERVEKVILQGSKSVELKKKVEYKREEINSEFEQIRLFLQNEQEMILRQIQDEEMNILAKLNENLVELSDYVSTLKHLLREVEGKSVQSNLELLTQAKSMHHKYQNLKCPFLFSFRLTKYGFSLPPQYSGLDRIKPFQVDVILD

## 靶点信息

研究背景	The protein encoded by this gene contains a RING finger domain, a motif present in a variety of functionally distinct proteins and known to be involved in protein-protein and protein-DNA interactions. Pseudogenes of this gene are located on more than six chromosomes including chromosome 4. Multiple alternatively spliced variants, encoding the same protein, have been identified.
------	--

基因ID	166655
基因名	TRIM60
Swiss	Q495X7
别名	TRIM60;RNF129;RNF33

## 产品验证



Western blot analysis of TRIM60 expressed in Mouse testis using TRIM60 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn)