

FER1L5 Rabbit pAb

货号: **AYP18118**

产品信息

反应	Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	WB: 1:500 - 1:2000 IF/ICC: 1:50 - 1:200
理论分子量	15kDa/93kDa/241kDa
实测分子量	242kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	Mouse testis,Rat testis
细胞定位	Cell membrane,Membrane,Single-pass membrane protein
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1350-1670 of human FER1L5 (NP_001280012.1).
序列	KLPTLSEKKHQDFLGYLYRKFVFKSSKAEDEYEHEVDWWSKLFWATDEHKSLSKYKYKDYHTLKVYECELEAVPAFQGLQDFCQTFKLYQECPKLDSPVVGFEKGLFRIYPPFENPEAPKPLQLVWPEREDFPQPCLVRVYMVRAINLQPQDYNGLCDPYVILKLGKTELGNRDMYQPNTLDPIFGMMFELTCNIPLEKDLEIQLYDFDLFSPDDKIGTTVIDLENRLLSGFGAHCGLSKSYCQSGPFRWRDQMPPSYLLERYAKRKGLPPPLFSPEEDAVFYNGKKFKLQSFEPKTPTVHGLGPKKERLALYLLHTQGL

靶点信息

研究背景	Plays a role in myoblast fusion; probable mediator of endocytic recycling for membrane trafficking events during myotube formation.
基因ID	90342

基因名	FER1L5
Swiss	AOAVI2
别名	FER1L5

产品验证



Western blot analysis of FER1L5 expressed in Mouse testis,Rat testis using FER1L5 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn