

AFAP1L2 Rabbit pAb

货号: **AYP18122**

产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	38kDa/90kDa/91kDa/93kDa
实测分子量	110kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG,LO2
细胞定位	Cytoplasm
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-300 of human AFAP1L2 (NP_001001936.1).
序列	MERYKALEQLLTELDDFLKILDQENLSSTALVKKSCLAELLRLYTKSSSSDEEYIYMNKVTINKQNAESQKAPEEQGLLPN GEPSEQHSSAPQKSLPDLPPPKMIPERKQLAIPKTESPEGYEEAEPYDTSLNEDGEAVSSSYESYDEEDGSKGKSAPYQWP SPEAGIELMRDARICAFWLRKKWLGQWAKQLCVIKDNRLCCYKSSKDHSPQLDVNLLGSSVIHKEKQVRKKEHKLKIPM NADVIVLGLQSKDQAEQWLRVIQEVSGLPSEGASEGNQYTPDAQRFNCQKPDIAEK

靶点信息

研究背景	May play a role in a signaling cascade by enhancing the kinase activity of SRC. Contributes to SRC-regulated transcription activation.
基因ID	84632

基因名	AFAP1L2
Swiss	Q8N4X5
别名	AFAP1L2;CTB-1144G6.4;KIAA1914;XB130

产品验证



Western blot analysis of AFAP1L2 expressed in U-87MG, LO2 using AFAP1L2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn