

— ABLYBIO, Help Your Research



# RAB11FIP4 Rabbit pAb

货号: **AYP18129**

## 产品信息

反应	Human
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	<b>WB:</b> 1:500 - 1:2000
理论分子量	60kDa/71kDa
实测分子量	72kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal, 50% glycerol, pH7.3.
偶联物	Unconjugated
阳性对照	U-87MG
细胞定位	Cleavage furrow, Cytoplasmic vesicle, Midbody, Peripheral membrane protein, Recycling endosome membrane
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 338-637 of human RAB11FIP4 (NP_116321.2).
------	---

## 靶点信息

研究背景	The protein encoded by this gene interacts with RAB11 and is thought to be involved in bringing recycling endosome membranes to the cleavage furrow in late cytokinesis. Hypoxic conditions can lead to an upregulation of the encoded protein and enhance the metastatic potential of hepatocellular carcinoma.
基因ID	84440
基因名	RAB11FIP4
Swiss	Q86YS3 ( <a href="https://www.uniprot.org/uniprotkb/Q86YS3/entry">https://www.uniprot.org/uniprotkb/Q86YS3/entry</a> )
别名	RAB11FIP4,FIP4-Rab11,RAB11-FIP4,RAB11FIP4 Rabbit pAb,Arfophilin-2,ARFO2,KIAA1821

## 产品验证



Western blot analysis of RAB11FIP4 expressed in U-87MG using RAB11FIP4 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)