

— ABLYBIO, Help Your Research



# CEP85 Rabbit pAb

货号: **AYP18149**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:2000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	22kDa/80kDa/85kDa
实测分子量	105kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	A-431,Jurkat,HeLa
细胞定位	Cytoplasm,Nucleus,centrosome,cytoskeleton,microtubule organizing center,nucleolus,spindle pole
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 130-430 of human CEP85 (NP_073615.2).
------	---

## 靶点信息

研究背景	This gene encodes a protein that belongs to the centrosome-associated family of proteins. The centrosome is a subcellular organelle in the animal cell that functions as a microtubule organizing center and is involved in cell-cycle progression. Alternate splicing results in multiple transcript variants.
基因ID	64793
基因名	CEP85
Swiss	Q6P2H3 ( <a href="https://www.uniprot.org/uniprotkb/Q6P2H3/entry">https://www.uniprot.org/uniprotkb/Q6P2H3/entry</a> )
别名	CEP85,CCDC21,CEP85 Rabbit pAb,Coiled-coil domain-containing protein 21

## 产品验证



Western blot analysis of CEP85 expressed in A-431, Jurkat, HeLa using CEP85 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/>[www.ablybio.cn](http://www.ablybio.cn))