

— ABLYBIO, Help Your Research



# ATL2 Rabbit pAb

货号: **AYP18150**

## 产品信息

反应	Human,Mouse,Rat
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB IF/ICC
推荐浓度	<b>WB:</b> 1:500 - 1:1000 <b>IF/ICC:</b> 1:50 - 1:200
理论分子量	46kDa/64kDa/65kDa/66kDa
实测分子量	66KDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	HepG2
细胞定位	Endoplasmic reticulum membrane,Multi-pass membrane protein
纯化	Affinity purification


## 抗原信息

抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 390-470 of human ATL2 (NP_001129145.1).
------	---

## 靶点信息

研究背景	GTPase tethering membranes through formation of trans-homooligomers and mediating homotypic fusion of endoplasmic reticulum membranes. Functions in endoplasmic reticulum tubular network biogenesis.
基因ID	64225
基因名	ATL2
Swiss	Q8NHH9 ( <a href="https://www.uniprot.org/uniprotkb/Q8NHH9/entry">https://www.uniprot.org/uniprotkb/Q8NHH9/entry</a> )
别名	ATL2,ARL3IP2,ARL6IP2,aip-2,atlastin2,ATL2 Rabbit pAb,ADP-ribosylation factor-like protein 6-interacting protein 2

## 产品验证



Western blot analysis of ATL2 expressed in HepG2 using ATL2 Rabbit pAb at 1:1000. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

## 实验步骤

访问官网浏览详情: [www.ablybio.cn](http://www.ablybio.cn) (<https://www.ablybio.cn/www.ablybio.cn>)