

ZFP64 Rabbit pAb

货号: **AYP18166**

产品信息

反应	Human,Mouse
宿主	Rabbit
克隆性	Polyclonal
预测反应	
应用	WB
推荐浓度	WB: 1:500 - 1:2000
理论分子量	46kDa/48kDa/68kDa/72kDa/74kDa
实测分子量	75kDa
形式	Liquid
保存条件	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thiomersal,50% glycerol,pH7.3.
偶联物	Unconjugated
阳性对照	293T,NIH/3T3,Raji
细胞定位	Nucleus
纯化	Affinity purification

抗原信息


抗原信息	Recombinant fusion protein containing a sequence corresponding to amino acids 1-170 of human ZFP64 (NP_060667.2).
序列	MNASSEGESFAGSVQIPGGTTVLVELTPDIHICGICKQQFNNLDAFVAHKQSGCQLTGTSAAAPSTVQFVSEETVPATQTQ TTTRTITSETQTITVSAPEFVFEHGYQTYLPTESNENQTATVISLPAKSRTKKPTTPPAQKRLNCCYPGCQFKTAYGMKDMER HLKIHT

靶点信息

研究背景	Predicted to enable DNA binding activity and metal ion binding activity. Predicted to be involved in positive regulation of cytokine production and positive regulation of transcription by RNA polymerase II. Predicted to act upstream of or within positive regulation of mRNA splicing, via spliceosome. Predicted to be active in nucleus.
基因ID	55734

基因名	ZFP64
Swiss	Q9NPA5,Q9NTW7
别名	ZFP64;ZNF338

产品验证



Western blot analysis of ZFP64 expressed in 293T,NIH/3T3,Raji using ZFP64 Rabbit pAb at 1:1000. Sec ondary antibody: HRP Goat Anti-Rabbit IgG (H+L) at 1:5000. Lysates/proteins: 30ug per lane. Blocking buffer: 5% non-fat dry milk in TBST. Detection: ECL Enhanced Kit. Exposure time: 120s.

实验步骤

访问官网浏览详情: www.ablybio.cn